

# SAFETY DATA SHEET

TH5

Page 1

Issued: 20/11/03

Revision No: 1

Danum Laboratory Services

2 Duncroft Grove

Rossington

Doncaster DN11 0UL

Tel: 01302 864668

Fax: 01302 860880

## 1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND OF THE COMPANY / UNDERTAKING

**Product name:** TH5

**Product code:** EUHR1

**Synonyms:** TOTALE INDICATEUR DURETE

TH5

**Use / description of product:** Irritant. Flammable. Liquid.

## 2. COMPOSITION / INFORMATION ON INGREDIENTS

**Ingredient 1:** DLS TH5 >90%

[Xi] R36; [-] R67;

## 3. HAZARDS IDENTIFICATION

**Main hazards:** Irritating to eyes. Vapours may cause drowsiness and dizziness.

## 4. FIRST AID MEASURES (SYMPTOMS)

**Skin contact:** There may be mild irritation at the site of contact.

**Eye contact:** There may be irritation and redness.

**Ingestion:** There may be soreness and redness of the mouth and throat.

**Inhalation:** There may be irritation of the throat with a feeling of tightness in the chest.

## 4. FIRST AID MEASURES (ACTION)

**Skin contact:** Drench the affected skin with running water for 10 minutes or longer if substance is still on skin.

**Eye contact:** Bathe the eye with running water for 15 minutes. Transfer to hospital for specialist examination.

**Ingestion:** If conscious, give 1 pint of water to drink immediately.

**Inhalation:** Remove casualty from exposure ensuring one's own safety whilst doing so.

## 5. FIRE-FIGHTING MEASURES

**Extinguishing media:** Carbon dioxide. Dry chemical powder. Foam Vapourising Liquids. Do not use water.

**Exposure hazards:** In combustion emits toxic fumes. Flammable.

**Protection of fire-fighters:** Wear self-contained breathing apparatus.

## 6. ACCIDENTAL RELEASE MEASURES

**Personal precautions:** Refer to section 8 of SDS for personal protection details. Eliminate all sources of ignition. Turn leaking containers leak-side up to prevent the escape of liquid.

**Environmental precautions:** Do not allow large quantities to enter local drainage systems

**Clean-up procedures:** Neutralise with dilute hydrochloric acid testing with litmus paper periodically. Wash

[cont...]

TH5

down the drain with large amounts of water.

**7. HANDLING AND STORAGE**

**Handling requirements:** Ensure there is sufficient ventilation of the area. Avoid direct contact with the substance.

**Storage conditions:** Store in cool, well ventilated area. Keep container tightly closed.

**8. EXPOSURE CONTROLS / PERSONAL PROTECTION**

**Engineering measures:** Ensure there is sufficient ventilation of the area.

**Respiratory protection:** Self-contained breathing apparatus must be used in handling.

**Hand protection:** Protective gloves.

**Eye protection:** Safety goggles. Face-shield.

**Skin protection:** Protective clothing with elasticated cuffs and closed neck.

**9. PHYSICAL AND CHEMICAL PROPERTIES**

**State:** Solution

**Colour:** Dark blue

**Odour:** Odourless

**Viscosity:** Non-viscous

**Oxidising:** Non-oxidising (by EC criteria)

**Evaporation rate:** Moderate

**Solubility in water:** Miscible in all proportions

**Flash point°C:** 185

**pH:** 10-11

**10. STABILITY AND REACTIVITY**

**Stability:** Stable under normal conditions.

**Conditions to avoid:** Heat.

**Materials to avoid:** Oxidising agents.

**Haz. decomp. products:** In combustion emits toxic fumes.

**11. TOXICOLOGICAL INFORMATION**

**Effects of exposure** Drowsiness.

**12. ECOLOGICAL INFORMATION****13. DISPOSAL CONSIDERATIONS**

**Waste disposal:** Dissolve in excess water and adjust pH to neutrality if necessary. Dispose of as normal industrial waste.

**Disposal of packaging** Dispose of as normal industrial waste.

**NB:** The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

**14. TRANSPORT INFORMATION****ADR / RID**

**UN no:** 1993

**ADR Class:** 3

[cont...]

TH5

**Hazard ID no:** 30**Labelling:** 3**Shipping name:** FLAMMABLE LIQUID, N.O.S.**IMDG / IMO****UN no:** 1993**Class:** 3.3**Packing group:** III**EmS:** 3-07**Marine pollutant:** YES**Labelling:** 3**IATA / ICAO****UN no:** 1993**Class:** 3**Packing group:** III**Packing instructions:** 310**Quantity** 220 L**Labelling:** 3**15. REGULATORY INFORMATION****Hazard symbols:** Irritant.**Risk phrases:** R36: Irritating to eyes.

R67: Vapours may cause drowsiness and dizziness.

**Safety phrases:** S7: Keep container tightly closed.

S2: Keep out of the reach of children.

S16: Keep away from sources of ignition - No smoking.

**Note:** The regulatory information given above only indicates the principal regulations specifically applicable to the product described in the safety data sheet. The user's attention is drawn to the possible existence of additional provisions which complete these regulations. Refer to all applicable national, international and local regulations or provisions.

**16. ADDITIONAL INFORMATION**

**Additional information:** The information contained within this MSDS is based on bulk quantities. The user should bear in mind the reduced hazard associated with the small quantities normally associated with test kit reagents, and adjust their responses accordingly.

**Risk phrases used in s.2:** R36: Irritating to eyes.

R67: Vapours may cause drowsiness and dizziness.

**Legal disclaimer:** The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.